DEA #: RP0607436 | ISO/IEC 17025:2017 Certificate #: 6400.01



Sample Nano HDI D9 THC Gummies, 10mg- Variety of Flavors

Lab ID:	BBL_7090	Matrix:	Edible	Analyses Executed:	CAN
Company:	Nano HempTech LABS	Lot ID:	Nano HDI D9 THC Gummies,	Reported:	21 Oct, 2024
Phone:	281-531-7500	Received:	14 Oct, 2024		
Address:			- B		
Email:	info@nanohemptechlabs.com		H 46		

Lab Notes: Results reported for sample as received. THCP, HHCP, HHCO, D8-iso-THC, D8-THCV and D10-THC are not A2LA accredited.

Cannabinoid Profile Analysis


Analyzed 14 Oct, 2024 I Instrument HPLC-PDA I Method TM-101 Uncertainty Measurement at 95% confidence level is 10%, k=2

			-			
Analyte	LOD (ppm)	LOQ (ppm)	Result %	Result (mg/g)	mg/pack	mg/unit
Cannabidivarinic acid (CBDVa)	0.030	0.080	ND	ND	ND	ND
Cannabidivarin (CBDV)	0.050	0.150	ND	ND	ND	ND
Cannabidiolic acid (CBDa)	0.040	0.110	ND	ND	ND	ND
Cannabigerolic acid (CBGa)	0.040	0.120	ND	ND	ND	ND
Cannabigerol (CBG)	0.080	0.230	ND	ND	ND	ND
Cannabidiol (CBD)	0.060	0.190	ND	ND	ND	ND
Tetrahydrocannabivarin (THCV)	0.080	0.240	ND	ND	ND	ND
Tetrahydrocannabivarinic acid (THCVa)	0.050	0.160	ND	ND	ND	ND
Cannabinol (CBN)	0.040	0.120	ND	ND	ND	ND
Cannabinolic acid (CBNa)	0.080	0.250	ND	ND	ND	ND
D9-Tetrahydrocannabinol (D9-THC)	0.120	0.360	0.1517	1.517	75.85	7.585
D8-Tetrahydrocannabinol (D8-THC)	0.140	0.430	ND	ND	ND	ND
Cannabicyclol (CBL)	0.210	0.640	ND	ND	ND	ND
D9-Tetrahydrocannabinolic acid (THCa)	0.130	0.400	ND	ND	ND	ND
Cannabichromene (CBC)	0.090	0.280	ND	ND	ND	ND
Cannabichromenic acid (CBCa)	0.350	1.060	ND	ND	ND	ND
Total THC (THCa * 0.877 + THC)			0.1517	0.1517		
Total CBD (CBDa * 0.877 + CBD)			ND	ND		
Total CBG (CBGa * 0.877 + CBG)			ND	ND		
Total Cannabinoids			0.1517	1.517	75.85	7.585

Total weight: 50.0000 g, Unit weight: 5.0000 g

Sample Photography





NR Not Reportable
ND Not Detected
N/A Not Applicable
NT Not Tested
LOD Limit of Detection
LOQ Limit of Quantification
<LOQ Detected
>ULOL Above upper limit of linearity
CFU/g Colony Forming Units per 1 gram
TNTC Too Numerous to Count





Scan the QR code to verify authenticity.



Laboratory Director 21 Oct, 2024 01:22:57 PM